







Model name	Category	Max torque (KNm)	Max Diameter (mm)	Max Depth (m)	Weight (ton)
BABY DRILL	BORED PILES	17,5	600	15	5,4

Rotary

Nominal Torque	17,5 KNm	12,900 lbsft
Nominal Pull-Back/Pull-Down	23 - 40 KN	5,175 - 9,000 lbs
Unloading Speed	80 rpm	

Winches

Main Winch Nominal Pullback	25 KN	5,625 lbs
Secondary Winch Nominal Pullback	10 KN	2,250 lbs

Engine

Brand	YANMAR (on request with 30 KW electric motor)	
Power	35 KW @ 3.000 rpm	47 HP @ 3,000 rpm

Hydraulic System

Hydraulic Oil Tank	70 lit	18.5 gal
Fuel Tank	48 lit	12.7 gal

Crawler

Length	1.980 mm	6.5 ft
Width	1.000 - 1.500 mm	3.3 - 4.9 ft
Shoes	300 mm	1 ft


Weight

Approx Weight	5,4 ton	11,900 lbs
---------------	---------	------------

Works With Augers & Buckets

Max Diameter	400 - 600 mm	15 - 24 in
Depths	12 - 15 - 18** m	39 - 49 - 60** ft

** = with mast extension + friction kelly bar



📍 Luis Freg No.3 Lomas de Sotelo. C.P. 53390. Naucalpan, Estado de México

Contacto: Rogelio Antonio Morales ☎ 55 3097 4317 ✉ rogelio.antoniom@royed.com.mx

🌐 www.royed.com.mx

📱 @royedmexico